



ACCESSIBLE

ADAPTABLE AND BARRIER-FREE
BATHING COLLECTION



AQUATICBATH.COM

THE POSSIBILITIES ARE WIDE OPEN.

Aquatic accessible bath products break barriers—not only in terms of how they can be used, but also in how they look and how they can be customized to fit specific applications. Our selection includes ADA- and ANSI-compliant showers and tub-showers, along with a variety of universal design products.



Hospitals



Senior Living
Communities



Hotels



Colleges and
Universities



Military Bases



Apartment
Complexes

BUILDING A BETTER BATHWARE INDUSTRY

Aquatic is at the forefront of design and engineering innovation and our expertise is reflected in a growing range of applications for our products. Our best-selling accessible line is popular with hospitals, retirement and assisted-living facilities, hotels, educational institutions, military bases and multifamily housing developments.

On cover: F1364P

SEAMLESS SERVICE AND SUPPORT

When you partner with Aquatic, we go the extra mile to earn your continued business with service and support that are both consistent and convenient.

Ready To Deliver

With more plants nationwide than any other bath manufacturer in the industry, we are well positioned to deliver. Our distribution network and fleet of trucks ensure products are always delivered on time.

Responsive Customer Service

Place orders, inquire about products and get answers to technical questions using our convenient toll-free number, 800.945.2726.

Localized Technical Support

Our dedicated field representatives across the U.S. are at your service, whenever you need assistance.

Detailed Submittal Pieces

Comprehensive submittal documents ensure we build the right products, in the right configurations, for each of your projects.



3636BFSC

36" TRANSFER SHOWERS

These quality products are designed to comfortably accommodate walking up or transferring from wheelchair to seat. Applicable for many commercial applications, they meet ADA/ANSI guidelines when barrier-free and properly installed.



PRODUCT BENEFITS

1 CHOICE OF SURFACE MATERIALS

Available in premium cast acrylic and AcrylX™ applied acrylic finishes

2 SEAMLESS AND SECTIONAL OPTIONS

Available in one-, two- and four-piece configurations

3 FLANGE OPTIONS

Multiple flange configurations to accommodate individual design needs

4 FACTORY-INSTALLED ACCESSORIES


Can be pre-configured for ADA, ANSI or local code compliance, or customized with an array of grab bar sizes and other accessories

5 36" INTERIOR


Conforms to ADA/ANSI guidelines for transfer showers

DAM PROFILES


MODEL: 1363BFSD




MODEL: F1364P




MODEL: 1363BFSC, 1363BFSCMA, 1363BFSCCN, 1363BFSCST, 1363BFSC-STMA, 1363BFC2P, 1363BFC2PMA



MODEL: 1363BFS, 1363BFSMA, 1363BFSCN, 3636BFS, 3636BFSMA



MODEL: 3636BFSC, 3636BFSCMA



MODEL: 1363EN



- Flooring material
- Wood reinforcement
- Pre-leveled base
- Foundation material

36" SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (CN) - Canada Standards Association

MODEL (Variations)	1363BFS (MA) (CN)
DIMENSIONS	36 x 36 x 74 1/8 int., 38 x 38 1/4 x 77 1/8 ext.
MATERIAL & FINISH	ACRYLIX™, SMOOTH
# OF PIECES	1
COMPLIANCE *	ADA, ANSI, 521 CMR, CSA, FHA, TAS
BASE	STANDARD



MODEL (Variations)	1363BFC2P (MA)
DIMENSIONS	36 x 36 x 75 1/8 int., 39 x 38 3/4 x 77 1/8 ext.
MATERIAL & FINISH	ACRYLIX™, SMOOTH
# OF PIECES	2
COMPLIANCE *	ADA, ANSI, 521 CMR, FHA, TAS
BASE	PRE-LEVELLED



MODEL (Variations)	3636BFS (MA)
DIMENSIONS	36 x 36 x 80 7/16 int., 41 x 37 x 83 3/4 ext.
MATERIAL & FINISH	CAST ACRYLIC, SMOOTH
# OF PIECES	1
COMPLIANCE *	ADA, ANSI, 521 CMR, FHA, TAS
BASE	STANDARD





1363BFSC (MA) (CN)

36 x 36 x 75 int.,
38 x 38 1/4 x 77 ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, 521 CMR, FHA, TAS, CSA

PRE-LEVELLED



1363BFSCST (MA)

36 x 36 x 75 int.,
38 x 38 1/4 x 77 ext.

ACRYLX™, SMOOTH TILE

1

ADA, ANSI, 521 CMR, FHA, TAS

PRE-LEVELLED



1363BFSD

36 x 36 x 75 3/4 int.,
42 1/2 x 38 1/4 x 77 ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, FHA, TAS

PRE-LEVELLED



F1364P

36 x 36 x 76 int.,
39 3/4 x 39 x 78 1/2 ext.

ACRYLX™, DIAGONAL TILE

4

ADA, ANSI, FHA, TAS

PRE-LEVELLED

This model features an outward facing nailing flange.



3636BFSC (MA)

36 x 36 x 80 7/16 int.,
41 x 37 x 83 1/2 ext.

CAST ACRYLIC, SMOOTH

1

ADA, ANSI, 521 CMR, FHA, TAS

STANDARD



1363EN

36 x 36 x 75 5/8 int.,
38 1/4 x 38 3/8 x 77 1/2 ext.

ACRYLX™, SMOOTH

1

521 CMR

STANDARD



42"-48" SHOWERS

These accessible shower products are ideal for active adult and residential applications or in commercial jobs where a minimum number of ADA units has been met.



PRODUCT BENEFITS

1 CHOICE OF SURFACE MATERIALS

Available in premium cast acrylic and AcrylX™ applied acrylic finishes

2 SEAMLESS AND SECTIONAL OPTIONS

Available in one-, two- and four-piece configurations

3 LOW THRESHOLDS

From barrier-free to 3" accessible options

4 FACTORY-INSTALLED ACCESSORIES

Can be customized with an array of grab bar sizes and other accessories

5 SPACE-SAVING DESIGN

Allows for ample interior space when a smaller footprint is required

DAM PROFILES


MODEL: 4836BFS




MODEL: 1483EN




MODEL: F1424P



MODEL: 1483TSTH, 1483TSCH



MODEL: 1483BFSD





-  Flooring material

 Wood reinforcement
-  Pre-leveled base

 Foundation material

42"-48" SHOWER SPECIFICATIONS

MODEL (Variations)		F1424P
DIMENSIONS		42 x 48 x 76 1/2 int., 45 3/4 x 51 1/8 x 77 5/8 ext.
MATERIAL & FINISH		ACRYLX™, DIAGONAL TILE
# OF PIECES		4
COMPLIANCE *		TITLE 24
BASE		STANDARD

MODEL (Variations)		1483TSTH
DIMENSIONS		46 x 34 1/4 x 73 int., 48 x 36 1/4 x 76 1/2 ext.
MATERIAL & FINISH		ACRYLX™, SMOOTH TILE
# OF PIECES		1
COMPLIANCE *		
BASE		STANDARD



1483EN

45 1/2 x 36 1/4 x 76 int.,
48 x 38 3/4 x 77 1/4 ext.

ACRYLX™, SMOOTH

1

STANDARD



1483TSCH

46 x 33 x 73 int.,
48 x 35 x 76 1/2 ext.

ACRYLX™, SMOOTH

1

STANDARD



4836BFS

48 1/2 x 36 x 81 5/16 int.,
53 x 37 x 84 ext.

CAST ACRYLIC, SMOOTH

1

STANDARD



1483BFSD

46 x 36 x 75 1/4 int.,
48 x 38 1/4 x 77 1/4 ext.

ACRYLX™, SMOOTH

1

ANSI (TYPE B)

PRE-LEVELLED BASE



60" SHOWERS

These larger products are used in many commercial applications to accommodate walk-up, transfer or wheelchair roll-in without difficulty. They are an ADA-accepted size when barrier-free and properly installed.



PRODUCT BENEFITS

1 CHOICE OF SURFACE MATERIALS

Available in premium cast acrylic and AcrylX™ applied acrylic finishes

2 SEAMLESS AND SECTIONAL OPTIONS

Available in one-, two- and four-piece configurations

3 LOW THRESHOLDS

From barrier-free to 4" accessible options

4 FACTORY-INSTALLED ACCESSORIES

Can be pre-configured for ADA, ANSI or local code compliance, or customized with an array of grab bar sizes and other accessories

5 60" INTERIOR


Conforms to ADA/ANSI guidelines for roll-in showers

6 PRE-LEVELED BASE


Available on select models to ensure easy and level installation

DAM PROFILES


MODEL: 1623BFSTD, 1623BFSTDMA, 1603BFSD, 1603BFSDMA, 1603BFSDCN, 1603BFSTD




MODEL: 1623BFSTTX, 1603BFST, 1603BFSC, 1603BFSTMA, 1603BFSTTX, 1603BFSTCN




MODEL: 6030CFS, 1603CFS, 6036CFS



MODEL: 6030BFSC, 6030BFSCMA, 6036BFSC, 6036BFSCMA



MODEL: 16030BFSC



MODEL: 1603TSCB



MODEL: 16034BFSC



60" SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (TX) - Texas Accessibility Standards

MODEL (Variations)	1603TSCB
DIMENSIONS	58 x 33 x 76 1/4 int., 60 x 35 x 78 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE *	
BASE	STANDARD

MODEL (Variations)	16030BFSC
DIMENSIONS	60 x 30 1/4 x 77 1/2 int., 62 3/8 x 32 3/4 x 78 1/2 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE *	ADA, ANSI, FHA, TAS
BASE	PRE-LEVELED BASE

MODEL (Variations)	16034BFSC
DIMENSIONS	60 x 34 x 76 int., 62 x 36 3/4 x 76 1/4 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE *	ADA, ANSI, FHA, TAS
BASE	PRE-LEVELED BASE

MODEL (Variations)	1603BFSC
DIMENSIONS	60 x 34 x 75 5/8 int., 62 x 36 1/4 x 77 1/4 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE *	ADA, ANSI, FHA, TAS
BASE	PRE-LEVELED BASE



1623BFSTD (MA)

60 x 30 x 74 ⁷/₈ int.,
62 x 32 ¹/₄ x 76 ⁷/₈ ext.

ACRYLX™, SMOOTH TILE

1

ADA, ANSI, 521 CMR, FHA

PRE-LEVELLED BASE



1623BFSTTX

60 x 30 x 74 ⁷/₈ int.,
62 x 32 ¹/₄ x 76 ⁷/₈ ext.

ACRYLX™, SMOOTH TILE

1

TAS, FHA

PRE-LEVELLED BASE



6030BFSC (MA)

60 x 30 x 78 ⁷/₈ int.,
65 x 31 x 83 ¹/₂ ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, 521 CMR, FHA,
TAS

STANDARD



6030CFS

60 x 30 x 78 ⁷/₈ int.,
65 x 31 x 83 ³/₄ ext.

CAST ACRYLIC, SMOOTH

1

ADA, ANSI, FHA, TAS

STANDARD



1603CFS

60 x 34 x 74 ⁵/₁₆ int.,
62 x 36 ¹/₄ x 77 ⁵/₁₆ ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, FHA, TAS

PRE-LEVELLED BASE



1603BFSD (MA) (CN)

60 x 34 x 75 ⁵/₁₆ int.,
62 x 36 ¹/₄ x 77 ¹/₄ ext.

ACRYLX™, SMOOTH


1

ADA, ANSI, 521 CMR,
CSA, FHA, TAS


PRE-LEVELLED BASE

DAM PROFILES


MODEL: 1623BFSTD, 1623BFSTDMA, 1603BFSD, 1603BFSDMA, 1603BFSDCN, 1603BFSTD




MODEL: F1604P, F1604PCN




MODEL: 1623BFSTTX, 1603BFST, 1603BFSC, 1603BFSTMA, 1603BFSTTX, 1603BFSTCN




MODEL: 6030CFS, 1603CFS, 6036CFS



MODEL: 6030BFSC, 6030BFSCMA, 6036BFSC, 6036BFSCMA



MODEL: 1603BFBSB, 1603BFBSMA




MODEL: 16037BFSD



60" SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (TX) - Texas Accessibility Standards

MODEL (Variations)	1603BFBSB (MA)
DIMENSIONS	60 x 34 x 75 5/8 int., 62 x 36 1/4 x 77 1/4 ext.
MATERIAL & FINISH	ACRYLX™, SMOOTH
# OF PIECES	1
COMPLIANCE *	ADA, ANSI, 521 CMR, FHA, TAS
BASE	PRE-LEVELLED BASE



MODEL (Variations)	F1604P (CN)
DIMENSIONS	60 x 34 x 75 1/2 int., 63 3/4 x 37 1/8 x 78 1/4 ext.
MATERIAL & FINISH	ACRYLX™, DIAGONAL TILE
# OF PIECES	4
COMPLIANCE *	ADA, ANSI, CSA, FHA, TAS,
BASE	PRE-LEVELLED BASE



MODEL (Variations)	6036CFS
DIMENSIONS	60 x 36 x 79 int., 65 x 37 x 83 1/2 ext.
MATERIAL & FINISH	CAST ACRYLIC, SMOOTH
# OF PIECES	1
COMPLIANCE *	ADA, ANSI, FHA, TAS
BASE	STANDARD





1603BFST (MA) (CN)

60 x 34 x 74 $\frac{7}{8}$ int.,
62 x 36 $\frac{1}{4}$ x 76 $\frac{7}{8}$ ext.

ACRYLX™, SMOOTH TILE

1

ADA, ANSI, 521 CMR,
TAS, CSA, FHA

PRE-LEVELLED BASE



1603BFSTD

60 x 34 x 75 $\frac{5}{8}$ int.
62 x 36 $\frac{1}{4}$ x 77 $\frac{1}{4}$ ext.

ACRYLX™, SMOOTH TILE

1

ADA, ANSI, TAS, FHA,

PRE-LEVELLED BASE



16037BFSD

60 x 36 $\frac{5}{8}$ x 77 int.,
62 x 39 $\frac{3}{8}$ x 78 $\frac{3}{4}$ ext.

ACRYLX™, SMOOTH

1

ADA, ANSI, TAS

PRE-LEVELLED BASE



6036BFSC (MA)

60 x 36 x 79 int.,
65 x 37 x 83 $\frac{1}{2}$ ext.

CAST ACRYLIC, SMOOTH

1

ADA, ANSI, 521
CMR, FHA, TAS

STANDARD



TUB SHOWERS

These multi-use products are designed to give users peace of mind when walking up or transferring from a wheelchair. Most are an accepted size for ADA compliance when properly equipped, and can be used in a variety of commercial and residential applications.



PRODUCT BENEFITS

1 CHOICE OF SURFACE MATERIALS

Available in premium cast acrylic and AcrylX™ applied acrylic finishes

2 FACTORY-INSTALLED ACCESSORIES

Can be pre-configured for ADA/ANSI or local code compliance, or customized with an array of grab bar sizes

and other accessories



3 ADA/ANSI COMPLIANT

Products meet guidelines when properly equipped*


**Most models*

TUB SHOWER SPECIFICATIONS

MODEL VARIATIONS: (MA) - 521 CMR (TX) - Texas Accessibility Standards (CN) - Canada Standards Association

MODEL (Variations)		F6032STT		2603CTH
DIMENSIONS		56 x 30 x 78 ³ / ₈ int., 60 x 33 ¹ / ₄ x 81 ¹ / ₄ ext.		56 x 30 ¹ / ₄ x 71 int., 60 x 33 ¹ / ₄ x 74 ¹ / ₄ ext.
MATERIAL & FINISH		ACRYLX™, SUBWAY TILE		ACRYLX™, SMOOTH TILE
# OF PIECES		1		1
COMPLIANCE*		ADA, ANSI, TAS		ADA, ANSI, TAS, FHA, TITLE 24
BASE		STANDARD		STANDARD

MODEL (Variations)		2603SMTE (MA) (CN)		2603SMTH
DIMENSIONS		56 x 30 ¹ / ₄ x 74 ³ / ₈ int., 60 x 33 ¹ / ₄ x 79 ¹ / ₄ ext.		56 x 30 ¹ / ₄ x 76 ³ / ₈ int., 60 x 33 ¹ / ₄ x 81 ¹ / ₄ ext.
MATERIAL & FINISH		ACRYLX™, SMOOTH		ACRYLX™, SMOOTH
# OF PIECES		1		1
COMPLIANCE*		ADA, ANSI, 521 CMR, CSA, TAS, FHA, TITLE 24		
BASE		STANDARD		STANDARD

MODEL (Variations)		6032ITS
DIMENSIONS		60 x 32 x 80 ¹ / ₂ int., 65 x 33 x 84 ext.
MATERIAL & FINISH		CAST ACRYLIC, SMOOTH
# OF PIECES		1
COMPLIANCE*		ADA, ANSI, FHA, TAS, TITLE 24
BASE		STANDARD

SHOWER BASE SPECIFICATIONS


MODEL	 F3636DPAN
DIMENSIONS	36 x 36 x 3 $\frac{3}{8}$ int., 38 x 38 $\frac{1}{4}$ x 5 ext.
MATERIAL	ACRYLX™

MODEL	 F6032APAN
DIMENSIONS	60 x 30 x 5 $\frac{1}{8}$ int., 62 x 32 x 5 $\frac{1}{8}$ ext.
MATERIAL	CAST ACRYLIC

MODEL	 F6034DPAN
DIMENSIONS	60 x 34 x 3 $\frac{3}{8}$ int., 62 x 36 $\frac{1}{4}$ x 5 ext.
MATERIAL	ACRYLX™

DAM PROFILES

MODEL: F3636DPAN, F6032APAN, F6034DPAN





EVERYDAY EASE



Models include:
136364PC,
148344PSC,
160344PS,
160304PS

SECTIONAL SHOWERS WITH LOW-PROFILE ENTRY

Along with code-compliant bath products, we offer a variety of everyday showers and tub-shower combinations with universal design features built in. Case in point: Our four-piece sectional showers are equipped with reduced thresholds and integral seats that enhance access and usability.



Models include:
6032APAN
6030SPAN

SEATED TUB-HEIGHT SHOWER BASES

When the family bathtub becomes more hazardous than helpful, our everyday seated shower bases are a smart replacement. With tub-height walls, reduced thresholds, integral seats and end drains, our models are perfectly configured to transform a potentially unsafe bath area into a comfortable and welcoming oasis.

ACCESSIBLE ACCESSORIES



HANDHELD SHOWER



VINYL FLEXIBLE DAM



COLOR UPGRADE




DOME LIGHT



SOAP HOLDERS



PRESSURE-BALANCING
MIXING VALVE



OPTIONAL
THRESHOLD



CURTAIN & ROD



COMPRESSED-FIT
BRASS DRAIN

GRAB BARS



Standard



Designer
(Optional)

STRAIGHT



HORIZONTAL L-SHAPED

ACCESSIBLE ACCESSORIES

SEATS



TRI-FOLD REMOVABLE
Available in white.



FOLD-UP
Available in phenolic white
or phenolic teak.



L-SHAPED
Available in cushioned and
phenolic white or phenolic teak.



RECTANGULAR
Available in cushioned and
phenolic white or phenolic teak.

COLOR PALETTE

STANDARD



White

UPGRADED



*Almond



Biscuit



*Bone

Please use this color chart as a preliminary reference only. Contact your local Aquatic distributor to view an actual color sample.
*Available on AcrylX™ models only.

ACCESSIBLE OPTIONS



PERFECT FINISHES

Our bath products offer several wall finish options for unique customization. Tile-pattern and smooth wall finishes will create the perfect look. Options include: Smooth Wall, Smooth Tile, Subway Tile and Diagonal Tile.



REINFORCEMENT

All accessible products are pre-configured with required reinforcement for future installation of grab bars, seats and other accessories. We also offer an option to upgrade to full-wall reinforcement on all three walls.



CHOICE OF SURFACE MATERIALS

Aquatic code-compliant bath products are available in two high-quality materials to suit the needs of almost any application. Our premium cast acrylic products are specially formulated for exceptional durability and luster. We also offer a wide selection of AcrylX™ applied acrylic products that are easy to clean and maintain.



SEAMLESS AND SECTIONAL OPTIONS

If you're looking for a seamless appearance that's attractive and durable, our one-piece designs are an ideal choice. For remodeling projects, or applications where space is limited, we also offer code-compliant models in two- and four-piece configurations.

ACCESSIBILITY STANDARDS/CODE COMPLIANCE

The following standards provide technical design criteria/guidelines for accessibility for a tub or shower. Not all standards apply to every Aquatic accessible bath fixture. See model description for specific code compliance.

- **ADA** – Americans with Disabilities Act (Accessibility Guidelines, September 2010)
- **ANSI** – American National Standards Institute (A117.1-2009: Accessible and Usable Buildings and Facilities)
- **521 CMR** – Code of Massachusetts Regulations
- **TAS** – Texas Accessibility Standards, March 2012
- **FHA** – Fair Housing Act (FHA Design Manual)
- **TITLE 24** – California Building Standards Code (California Code of Regulations, Title 24)





Customer Service
800-945-2726
www.aquaticbath.com